

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	"749466".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:13
L2	128	XIP	USPAT	OR	OFF	2006/10/16 08:28
L3	215	XIP	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L4	0	(hatakar and duke).in.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L5	247	XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L6	32	L5 not L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L7	45	XIP and "711".clas.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L8	1450	((execut\$3 adj2 place) "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place")	USPAT	OR	OFF	2006/10/16 08:28
L9	170	L8 and "711".clas.	USPAT	OR	OFF	2006/10/16 08:28
L10	2897	((execut\$3 adj2 place) "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L11	241	L10 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L12	207	L11 not XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L13	180	"executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L14	123	L13 not XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L15	10	("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L16	27234	(program application code instructions) near3 (relocat\$3 switch\$3 interchang\$3 transfer\$4 exchang\$3 rearrang\$3 replac\$4 substitu\$3 swap\$5 transport\$3 displac\$4) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L17	2907	L16 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L18	1404	L17 and (application program instruction code) with (use usage performance amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L19	662	L16 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly near5 (storage memory flash)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L20	662	L19 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L21	293	L20 and (application program instruction code) with (use usage performance amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L22	30860	(program application code instructions software) near3 (relocat\$3 switch\$3 interchang\$3 transfer\$4 exchang\$3 rearrang\$3 replac\$4 substitu\$3 swap\$5 transport\$3 displac\$4) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L23	858	L16 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly near5 (stored storing stores storage memory flash)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L24	638	L23 and (application program instruction code software) with (use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L25	85	L24 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L26	18	"718".clas. and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L27	17	L26 not L25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L28	667	L23 and (application program instruction code software) with (monitor\$3 use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L29	667	L23 and (application program instruction code software) with (monitor\$3 use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L30	10004	("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly near5 (stored storing stores storage memory flash)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L31	858	L30 and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L32	711286	(application program instruction code software) with (monitor\$3 use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L33	667	L31 and L32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L34	87	L33 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L35	120	L23 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L36	1	"20020073405" and L35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L37	7	"20030163656" "20030206442" "20040230738"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L38	2	"6385754".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L39	12	size near5 XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L40	585	711/165.ccls.	USPAT	OR	OFF	2006/10/16 08:28
L41	824	711/165.ccls.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L42	69	late-write	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L43	20	L42 and "711".clas.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L44	1	"5752270".pn.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L45	128	XIP	USPAT	OR	OFF	2006/10/16 08:28
L46	0	(hatakar and duke).in.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L47	247	XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L48	1450	((execut\$3 adj2 place) "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place")	USPAT	OR	OFF	2006/10/16 08:28

## EAST Search History

L49	2897	((execut\$3 adj2 place) "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L50	27234	(program application code instructions) near3 (relocat\$3 switch\$3 interchang\$3 transfer\$4 exchang\$3 rearrang\$3 replac\$4 substitu\$3 swap\$5 transport\$3 displac\$4) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L51	2907	L50 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L52	1404	L51 and (application program instruction code) with (use usage performance amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L53	662	L50 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly near5 (storage memory flash)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L54	662	L53 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L55	30860	(program application code instructions software) near3 (relocat\$3 switch\$3 interchang\$3 transfer\$4 exchang\$3 rearrang\$3 replac\$4 substitu\$3 swap\$5 transport\$3 displac\$4) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L56	858	L50 and ("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly near5 (stored storing stores storage memory flash)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L57	638	L56 and (application program instruction code software) with (use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L58	18	"718".clas. and L57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L59	667	L56 and (application program instruction code software) with (monitor\$3 use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L60	10004	("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place" "executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place" XIP ((read access execut\$3 run) near3 directly near5 (stored storing stores storage memory flash)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L61	858	L60 and L50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L62	711286	(application program instruction code software) with (monitor\$3 use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L63	667	L61 and L62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L64	12	size near5 XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L65	585	711/165.ccls.	USPAT	OR	OFF	2006/10/16 08:28
L66	824	711/165.ccls.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L67	69	late-write	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L68	120	L56 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L69	1	"20020073405" and L68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L70	1	"5752270".pn.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L71	215	XIP	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L72	32	L47 not L71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L73	45	XIP and "711".clas.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L74	10	("access-in-place" "access in place" "run-in-place" "run in place" "read-in-place" "read in place" "accessed-in-place" "accessed in place")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28



## EAST Search History

L75	85	L57 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L76	17	L58 not L75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L77	87	L63 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L78	7	"20030163656" "20030206442" "20040230738"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L79	2	"6385754".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L80	20	L67 and "711".clas.	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28
L81	170	L48 and "711".clas.	USPAT	OR	OFF	2006/10/16 08:28
L82	180	"executing in place" "execution in place" "execute-in-place" "execution-in-place" "executing-in-place"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L83	123	L82 not XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L84	120	L56 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L85	215	XIP	US-PGPUB; USPAT	OR	OFF	2006/10/16 08:28

## EAST Search History

L86	241	L49 and "711".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L87	207	L86 not XIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L88	293	L54 and (application program instruction code) with (use usage performance amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L89	667	L56 and (application program instruction code software) with (monitor\$3 use usage performance amount utiliz\$6 criteria duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L90	14	flash and XIP and "711".clas.	USPAT	OR	OFF	2006/10/16 08:28
L91	0	"20030079085"	USPAT	OR	OFF	2006/10/16 08:28
L92	1	"20030079085"	US-PGPUB; USPAT	OR	ON	2006/10/16 08:28
L93	0	"9604".ap.	US-PGPUB; USPAT	OR	ON	2006/10/16 08:28
L94	4	"911604".ap.	US-PGPUB; USPAT	OR	ON	2006/10/16 08:28
L95	5	"455603".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L96	365	XIP execute-in-place (execute adj in adj place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L97	315	L96 and (relocat\$3 mov\$3 transplant\$3 remov\$3 exchan\$3 migrat\$3 transfer\$3 import\$ export\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L98	92	L97 and ("711" "707" "717").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L99	222	L97 and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L100	6	"749466".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L101	4	("20040078509"   "5581768"   "6357040"   "6775423").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/16 08:28
L102	0	("7055145").URPN.	USPAT	OR	OFF	2006/10/16 08:28
L103	3	usage near3 (data characteristic information) same (XIP execute-in-place (execut\$3 adj in adj place) (access\$3 adj in adj place) access-in-place)	USPAT	OR	OFF	2006/10/16 08:28
L104	5	usage near3 (data characteristic information) same (XIP execute-in-place (execut\$3 adj in adj place) (access\$3 adj in adj place) access-in-place)	US-PGPUB; USPAT	OR	ON	2006/10/16 08:28
L105	1	usage near3 profile same (XIP execute-in-place (execut\$3 adj in adj place) (access\$3 adj in adj place) access-in-place)	US-PGPUB; USPAT	OR	ON	2006/10/16 08:28
L106	18	usage near3 (data characteristic information) and (XIP execute-in-place (execut\$3 adj in adj place) (access\$3 adj in adj place) access-in-place)	US-PGPUB; USPAT	OR	ON	2006/10/16 08:28
L107	13	L106 not L104	US-PGPUB; USPAT	OR	ON	2006/10/16 08:28
L108	202	L99 and (usage access\$3 use used) near5 (frequency profile chart directory data information info)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L109	199	L99 and (usage use used) near5 (frequency profile chart directory data information info)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28

## EAST Search History

L110	139	L99 and (usage use used) near5 (frequency frequently frequent least most)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L111	25	L96 and (relocat\$3 mov\$3 transplant\$3 remov\$3 exchan\$3 migrat\$3 transfer\$3 import\$ export\$3) same (usage use used) near5 (frequency frequently frequent least most)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L112	25	L96 and (relocat\$3 mov\$3 transplant\$3 remov\$3 exchan\$3 migrat\$3 transfer\$3 import\$ export\$3) same ((usage use used) near5 (frequency frequently frequent least most))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L113	5	XIP and (relocat\$3 migrat\$3) same ((frequency frequently frequent least most))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L114	51	XIP and (relocat\$3 migrat\$3 replac\$3) same ((frequency frequently frequent least most))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 08:28
L115	19	711/103.ccls. and XIP	US-PGPUB; USPAT	OR	ON	2006/10/16 08:37
L116	2	711/103.ccls. and (reconfigur\$5 replac\$3 regulat\$3 relocat\$3) with (XIP "execute-in-place" (execut\$3 adj2 in adj place))	US-PGPUB; USPAT	OR	ON	2006/10/16 08:39

# \*INTERFERENCE SEARCH\*

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(XIP and flash and track\$3 and relocat\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/10/16 11:05
L2	0	((("execute in place" execute-in-place (execut\$3 adj in adj place)) and flash and track\$3 and relocat\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/10/16 11:07
L3	0	((("execute in place" execute-in-place (execut\$3 adj in adj place)) and track\$3 and relocat\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/10/16 11:07
L4	0	((("execute in place" execute-in-place (execut\$3 adj in adj place) XIP) and relocat\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/10/16 11:07
L5	4	((("execute in place" execute-in-place (execut\$3 adj in adj place) XIP) and (reconfigu\$3 relocat\$3 replac\$3)).clm.	US-PGPUB; USPAT	OR	ON	2006/10/16 11:07
S23 0	0	(XIP and track\$3 and analyz\$3 and relocat\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/10/16 11:04